PRINTED: 12/26/2009 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS639HOS 12/08/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3186 S MARYLAND PKWY **SUNRISE HOSPITAL & MEDICAL CENTER** LAS VEGAS, NV 89109 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) S 000 **Initial Comments** S 000 Surveyor: 28737 This Statement of Deficiencies was generated as a result of a complaint investigation conducted at your facility on 12/8/09 in accordance with Nevada Administrative Code, Chapter 449, Hospitals. Five complaints were investigated: Complaint #NV00023117 was unsubstantiated. Complaint #NV00023126 was substantiated with a deficiency (see Tag #297). Complaint #NV00023305 was unsubstantiated. Complaint #NV00023590 was unsubstantiated. Complaint #NV00023604 was unsubstantiated. A Plan of Correction (POC) must be submitted. The POC must relate to the care of all patients and prevent such occurrences in the future. The intended completion dates and the mechanism(s) established to assure ongoing compliance must be included. Monitoring visits may be imposed to ensure on-going compliance with regulatory requirements. The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations,

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

8. The chief administrative nurse shall define the

actions or other claims for relief that may be available to any party under applicable federal,

The following deficiency was identified:

NAC 449.361 Nursing Service

state or local laws.

S 297

SS=F

S 297

PRINTED: 12/26/2009

FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS639HOS 12/08/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3186 S MARYLAND PKWY **SUNRISE HOSPITAL & MEDICAL CENTER** LAS VEGAS. NV 89109 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) (EACH DEFICIENCY MUST BE PRECEDED BY FULL COMPLETE (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) S 297 Continued From page 1 S 297 policies, procedures and standards relating to the provision of nursing services and shall ensure that the members of the nursing staff carry out those policies, procedures and standards. The policies, procedures and standards must be documented and accessible to each member of the nursing staff in written or electronic form. The chief administrative nurse must approve each element of the policies, procedures and standards before the element may be used or put into effect. This Regulation is not met as evidenced by: Surveyor: 26251 Based on record review and interview, the facility failed to follow its policy regarding negative pressure ventilation isolation for 1 of 3 Tuberculosis patients meeting its policy's (IC 1.10) summary guidelines (Patient #1).